

State of Vermont
Agency of Natural Resources
Department of Environmental Conservation
Determination of Eligibility for Categorical Exclusion

Middletown Springs School District-Middletown Springs Elementary School Water System, WSID
#6727
Water System Improvements
DWSRF Project RF3-131


In accordance with Section VII of the Department's Environmental Review Procedures for projects funded through the Vermont/EPA Revolving Loan Fund Program, Middletown Springs Elementary School, WSID #6727, has requested its proposed water improvement project be evaluated for eligibility for a Categorical Exclusion exempting the project from detailed environmental procedures required for projects having a significant environmental impact.

The project includes: installation of a master water meter and a disinfection and anion-exchange uranium removal system.

Our consideration of the Middletown Springs Elementary School request included reviewing environmental information and documentation completed and submitted by the Vermont Rural Water Association. Upon completion of this independent evaluation, the Department has determined the project meets the criteria for receiving a Categorical Exclusion. The project will correct water system deficiencies and does not meet any of the criteria resulting in denial of an exclusion.

Further information on the project and this determination are available for inspection at the Department of Environmental Conservation, Water Supply Division, Old Pantry Building, at 103 South Main Street, Waterbury, Vermont.

Agency of Natural Resources
Department of Environmental Conservation
Laura Pelosi, Commissioner

By 
Gary Schultz, Acting Director
Water Supply Division

Dated at Waterbury, Vermont this 24 day of Oct, 2008