

APCD

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
<i>10 V.S.A. Chapter 23 - Air Pollution Control - Air Pollution Control Regulations (APCR)</i>						
10 V.S.A. § 554 - APCR § 5-201	Open burning of less than 1CY of prohibited materials	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-201	Open burning 1CY to 5CY of prohibited materials	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 554 - APCR § 5-201	Open burning 5CY to 10CY of prohibited materials	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-201	Open burning more than 10CY of prohibited materials	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 554 - APCR § 5-202(3)	Failure to submit fire training exercise notification at least 14 days before exercise.	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-204(c)(3).	Burning of unapproved fuels in an outdoor wood boiler (OWB)	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 554 - APCR § 5-204(d)	Failure of OWB dealer to give buyer written notice of OWB rule.	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-204(d)	Failure of OWB dealer to send copy of signed "Notice to Buyer" to APCD.	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-211	Excessive visible emissions from stationary source.	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 554 - APCR § 5-221	Sulfur-in-fuel & waste oil: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.1	Large petroleum storage tanks: Failure to inspect source or source component as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.1	Large petroleum storage tanks: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.1	Large petroleum storage tanks: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-253.10	Paper Coating: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.10	Paper Coating: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-253.10	Paper coating: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 554 - APCR § 5-253.11	Failure to properly operate, maintain or repair perchloroethylene dry cleaning machine.	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 554 - APCR § 5-253.11	Allowing excessive emissions of perchloroethylene from dry cleaner waste materials.	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.11	Perc dry cleaners: Failure to inspect source or source component as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.11	Perc dry cleaners: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.11	Perc dry cleaners: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-253.12	Flat wood paneling: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.12	Flat wood paneling: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-253.12	Flat wood paneling: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 554 - APCR § 5-253.13	Misc. metal parts: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.13	Misc. metal parts: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-253.13	Misc. metal parts: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 554 - APCR § 5-253.14	Solvent metal cleaning: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.14	Solvent metal cleaning: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-253.14	Solvent metal cleaning: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 554 - APCR § 5-253.16	Wood furniture plants: Failure to inspect source or source component as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.16	Wood furniture plants: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.16	Wood furniture plants: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-253.16	Wood furniture plants: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 554 - APCR § 5-253.2	Bulk gasoline terminals: Failure to inspect source or source component as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.2	Bulk gasoline terminals: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.2	Bulk gasoline terminals: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-253.20	Other VOC sources: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.20	Other VOC sources: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-253.20	Other VOC sources: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 554 - APCR § 5-253.3	Bulk gasoline plants: Failure to inspect source or source component as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.3	Bulk gasoline plants: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.3	Bulk gasoline plants: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-253.4	Gasoline tank trucks: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.4	Gasoline tank trucks: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450

APCD

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
10 V.S.A. § 554 - APCR § 5-253.4	Gasoline tank trucks: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 554 - APCR § 5-253.5	Failure to properly install or to maintain Stage I vapor recovery system in good working order and free from defects.	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 554 - APCR § 5-253.5	Failure to maintain Stage I vapor recovery system to be vapor tight and leak free.	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 554 - APCR § 5-253.5	Stage I vapor recovery: Failure to inspect source or source component as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.5	Stage I vapor recovery: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-253.7	Failure to maintain Stage II vapor recovery system to be vapor tight and leak free.	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 554 - APCR § 5-253.7	Failure to properly install or to maintain Stage II vapor recovery system in good working order and free from defects.	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 554 - APCR § 5-253.7	Stage II vapor recovery: Failure to inspect source or source component as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.7	Stage II vapor recovery: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-253.7	Stage II vapor recovery: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-253.7	Stage II vapor recovery: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 554 - APCR § 5-402	Reports when requested: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 554 - APCR § 5-404	General requirement to test: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-405	General requirement to monitor: Failure to conduct testing or monitoring as required by regulation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 554 - APCR § 5-405	General requirement to monitor: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-405	General requirement to monitor: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 554 - APCR § 5-701	Removing, altering or rendering inoperative any required motor vehicle emission control device	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 554 - APCR § 5-803	Failure to submit emissions or related data required for source registration, within 30 days of the required date.	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-803	Failure to submit the applicable fee required for source registration, within 30 days of the required date.	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-911	Motor vehicle air conditioning service: Failure to keep records as required by regulation	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 554 - APCR § 5-1006(f)	Operating permit applicant's certification: Failure to submit any information, reports or certifications required by regulation within 30 days of required date	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 556 and 556a Permit # Condition #	Failure to inspect source or source component as required by permit	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 556 and 556a Permit # Condition #	Failure to keep records as required by permit	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 556 and 556a Permit # Condition #	Failure to conduct testing or monitoring as required by permit	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 556 and 556a Permit # Condition #	Failure to submit any information, reports or certifications required by permit within 30 days of required date	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 554 - APCR § 5-1103	Failure to comply with Environmental Performance Label requirements applicable to new vehicles for sale in Vermont	\$75	\$500	\$150	\$300	\$450

CED

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
<i>10 V.S.A. Chapter 23 - Air Pollution Control - Air Pollution Control Regulations (APCR)</i>						
10 V.S.A. §1259(a)	Prohibited Discharges	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1272	Failure to comply with any condition of a 1272 order	\$450	\$2,000	\$600	\$1,200	\$1,800
Judicial Order, AO, AoD, EO	Failure to comply with any condition of an applicable order	\$750	\$3,000	\$900	\$1,800	\$2,700

CED - Salvage Yards

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
<i>10 V.S.A. Chapter 164 - Comprehensive mercury management</i>						
10 V.S.A. § 7108	Failure to collect mercury containing switches	\$75	\$500	\$150	\$300	\$450
<i>24 V.S.A. Chapter 61 - Regulatory Provisions</i>						
24 V.S.A. § 2242	Operation of an unpermitted salvage yard	\$750	\$3,000	\$900	\$1,800	\$2,700
24 V.S.A. § 2248	Unpermitted operation within setbacks from roads, waters or sensitive receptors	\$150	\$1,000	\$300	\$600	\$900
24 V.S.A. § 2248	Delivery of a salvage vehicle to an unlicensed salvage yard	\$150	\$1,000	\$300	\$600	\$900
24 V.S.A. § 2248	Operation of a mobile crusher at an unlicensed salvage yard	\$450	\$2,000	\$600	\$1,200	\$1,800
24 V.S.A. § 2248	Crushing without proper fluid containment	\$450	\$2,000	\$600	\$1,200	\$1,800
24 V.S.A. § 2248	Failure to drain fluids immediately when vehicle has signs of leakage	\$150	\$1,000	\$300	\$600	\$900
24 V.S.A. § 2248 - Salvage Yard Permit # & Condition #	Failure to comply with a permit condition - permit # & condition #	\$300	\$1,500	\$450	\$900	\$1,350
24 V.S.A. § 2257	Failure to install or maintain screening (from roads/waters)	\$150	\$1,000	\$300	\$600	\$900
<i>10 V.S.A. Chapter 159 - Waste Management</i>						
10 V.S.A. § 6603 - SWMR § 6-1206(c)	Failure to store lead acid batteries under cover & on impervious surface	\$150	\$1,000	\$300	\$600	\$900

FED

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
<i>10 V.S.A. Chapter 43 - Dams</i>						
10 V.S.A. § 1082	Failure to obtain the required permit	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1086 - Permit # Condition #	Violation of construction permit conditions	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1086 - Permit # Condition #	Violation of operations and maintenance permit conditions	\$450	\$2,000	\$600	\$1,200	\$1,800

NRB

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
<i>Title 10 V.S.A. Chapter 151- State Land Use</i>						
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to file a report or documentation as directed	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to file post-construction certification and/or fee	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to establish and/or maintain escrow account or other fund as directed	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to complete project by construction completion date	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Extraction of earth resources beyond date permitted	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Extraction of earth resources in excess of quantity permitted: <i>less than 400 cubic yards</i>	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Extraction of earth resources in excess of quantity permitted: <i>400 cubic yards or more</i>	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to reclaim site as directed	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to complete landscaping as directed	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to maintain vegetative buffer as directed	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to implement and/or maintain erosion control measures as directed	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to maintain lighting as directed	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Failure to abide by approved hours of operation	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Erection or maintenance of unpermitted sign or banner	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Violation of permitted noise restrictions	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 6001 - 6093 - LUP # Condition #	Violation of a Act 250 rule or an Act 250 permit	\$300	\$1,500	\$450	\$900	\$1,350

WMD - HAZMAT

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
<i>Title 10 V.S.A. Chapter 159 - Waste Management - Vermont Hazardous Waste Regulations (VHWR)</i>						
10 V.S.A. § 6603 - VHWR § 7-104 & 7-304	Notification; hazardous waste generators, transporters, or facility failed to notify the Agency of their activity	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-105(a)(1)	Emergency Response; respondent failed to take actions to prevent impact to human health or the environment must be taken when a release of hazardous materials has occurred	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6603 - VHWR § 7-105(a)(2)	Reporting; respondent failed to immediately report a release of hazardous materials	\$750	\$3,000	\$900	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-202	HW Determination; respondent failed to make a hazardous waste determination	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-302(a), (b), (c)	Disposal prohibition; respondent illegally released a hazardous waste	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6603 - VHWR § 7-306(c)(1)(C)	CEG; generator failed to conduct operations in a manner that minimizes threat of fire, explosion, or release	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-306(c)(1)(D)	CEG; generator failed to properly close, label, or manage containers for compatibility	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-306(c)(4)	CEG; generator used a manifest and failed to properly follow manifest instructions	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-307(c)(2)	SQG; generator stored waste on site for more than 180 days	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 6603 - VHWR § 7-307(c)(9)	SQG; generator failed to have emergency preparedness measures in place	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 6603 - VHWR § 7-308(b)(8)	LQG; generator failed to submit a biennial report	\$150	\$1,000	\$300	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-308(b)(9)	LQG; generator failed to have written contingency plan for releases of hazardous waste	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-308(b)(10)	LQG; generator failed to have or failed to implement a written training program for facility personnel	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6603 - VHWR § 7-309(a)	SQG and LQG; generator failed to operate in a manner that minimizes threats and is not prepared to respond to a threat if one occurs	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 6603 - VHWR § 7-309(b)	SQG and LQG; generator failed to properly offer waste for transportation	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6603 - VHWR § 7-309(c)	SQG and LQG; generator failed to properly close the facility	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6603 - VHWR § 7-310(a)	SQG and LQG; generator failed to follow satellite accumulation requirements	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - VHWR § 7-310(b)	SQG and LQG; generator failed to follow short term storage area accumulation requirements	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - VHWR § 7-311(a)	SQG and LQG; short term storage area improperly designed	\$150	\$1,000	\$300	\$600	\$750
10 V.S.A. § 6603 - VHWR § 7-311(b)	SQG and LQG; improper operation of the short term storage area	\$150	\$1,000	\$300	\$600	\$750
10 V.S.A. § 6603 - VHWR § 7-311(d)(1)	SQG and LQG; failure to maintain inventory of waste currently in storage	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 6603 - VHWR § 7-311(d)(2)	SQG and LQG; failure to conduct daily inspections	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 6603 - VHWR § 7-311(e)	SQG and LQG; failure to post proper signs in short term storage area	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 6603 - VHWR § 7-311(f)	SQG and LQG; failure to properly manage containers	\$150	\$1,000	\$300	\$600	\$750
10 V.S.A. § 6603 - VHWR § 7-311(g)	SQG and LQG; failure to properly manage tanks	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-404	Transporters; failure to obtain approval or improper operation of a transfer facility	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6603 - VHWR § 7-405	Transporters; transporter undertook a prohibited activity (e.g. transporting a leaking or unlabelled container; accepting waste without a manifest)	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 6603 - VHWR § 7-406	Transporters; person transports hazardous waste without a permit	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6603 - VHWR § 7-408	Transporters; a transporter accepted waste from a generator who does not have an EPA ID number	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-409(a)	Transporters; the transporter failed to properly train employees or failed to keep adequate training records	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-410	Transporters; the transporter failed to carry liability insurance	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-702	SQG and LQG; failure to properly manifest hazardous waste	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - VHWR § 7-703	Transporters; failure to properly manifest hazardous waste	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - VHWR § 704	Designated facilities; failure to properly manifest hazardous waste	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - VHWR § 707	failure to report failing to receive manifest within appropriate timeframe	\$150	\$1,000	\$300	\$1,200	\$1,800
10 V.S.A. § 6603 - VHWR § 7-708(e)	SQG and LQG; failure to renew registration and pay fee	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - VHWR § 7-803	respondent undertook a prohibited activity (e.g. using used oil for dust suppression, burning used oil for fire suppression training)	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6603 - VHWR § 7-806(b)	UO handlers; failed to comply with properly manage containers	\$150	\$1,000	\$300	\$600	\$750
10 V.S.A. § 6603 - VHWR § 7-806(d)	UO handlers; failed to comply with properly manage ASTs	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-807	UO generators; failure to comply with proper transportation standards	\$150	\$1,000	\$300	\$600	\$750
10 V.S.A. § 6603 - VHWR § 7-809	UO marketers; failure to keep proper records, properly operate, or properly transport	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-810	UO collection facilities; failure to properly operate a collection facility and manage used oil	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6603 - VHWR § 7-812	UO burning for energy recovery; failure to properly conduct energy recovery activities	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-912(b)	UW SQH and LQH; disposal or treatment of UW	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 6603 - VHWR § 7-912(c)	UW LQH; failure to notify	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-912(d)	UW SQH and LQH; failure to manage UW in accordance with waste specific standards	\$150	\$1,000	\$300	\$600	\$750
10 V.S.A. § 6603 - VHWR § 7-912(e)	UW SQH and LQH; failure to mark or label UW	\$300	\$1,500	\$450	\$750	\$1,350
10 V.S.A. § 6603 - VHWR § 7-912(f)	UW SQH and LQH; failure to abide by accumulation time limits	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 6603 - VHWR § 7-913(c)	UW transporters; failure to transport waste in accordance with management standards	\$600	\$2,500	\$750	\$1,500	\$2,250

WMD - HAZMAT

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
10 V.S.A. § 6616	Release Prohibition	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6617	Person Responsible for Release, Notice to Agency	\$750	\$3,000	\$900	\$1,800	\$2,700

WMD - Solid Waste

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
10 V.S.A. Chapter 159 - Waste Management - Vermont Solid Waste Management Rules (SWMR)						
10 V.S.A. § 1523	Manufacturer or distributor refusal to pick up labeled deposit containers from a retailer that sells its product or a certified redemption center, of the kind, size, and brand sold by the manufacturer or distributor, or refuse to pay the retailer or a person operating a redemption center.	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 1523	Retailer refusal to accept empty beverage containers, labeled in accordance with 10 VSA§1524, of the kind, size, and brand sold by the retailer.	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 1524(d)	Failure to label deposit beverage container	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 1528	Sale of an unregistered beverage container by a manufacturer or distributor	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 6603 - SWMR § 6-1202	Failure to follow approved Facility Management Plan at a solid waste facility	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-1206(a)	Failure to remove waste from the tipping floor at the end of the operating day	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-1206(c)	Failure to store lead acid batteries under cover & on impervious surface	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 6603 - SWMR § 6-1206(c)	Failure to store lead acid batteries under cover & on impervious surface resulting in release	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-1206(d)	Household Hazardous/CEG Waste	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 6603 - SWMR § 6-1206(d)	Improper storage or handling of HHW or CEG waste	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-1206(d)	Collecting household hazardous waste or CEG waste without approval	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-1206(d)	Improper storage or handling of HHW or CEG waste resulting in a release	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 6603 - SWMR § 6-1206(g)	Failure to have refrigerants collected by qualified person	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-1305(c)	Failure to install and maintain adequate erosion controls at a solid waste facility	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-301(b)	Hauler permit violation - failure to prevent the release of solid waste from vehicle	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 6603 - SWMR § 6-301(b)	Failure to deliver solid waste to a certified facility within 48 hours or next business day	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 6603 - SWMR § 6-302 (a)	Open burning - less than 1CY of solid waste	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 6603 - SWMR § 6-302 (a)	Open burning 1CY to 5CY of solid waste	\$150	\$1,000	\$300	\$600	\$1,350
10 V.S.A. § 6603 - SWMR § 6-302 (a)	Open burning 5CY to 10CY of solid waste	\$450	\$2,000	\$600	\$1,200	\$2,250
10 V.S.A. § 6603 - SWMR § 6-302 (a)	Open burning more than 10CY of solid waste	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6603 - SWMR § 6-302(d)	Treatment, storage or disposal of less than 1CY of solid waste outside of a certified facility	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 6603 - SWMR § 6-302(d)	Treatment, storage or disposal of 1CY to 5CY's of solid waste outside of a certified facility	\$150	\$1,000	\$300	\$600	\$1,350
10 V.S.A. § 6603 - SWMR § 6-302(d)	Treatment, storage or disposal of 5CY to 10CY's of solid waste outside of a certified facility	\$450	\$2,000	\$600	\$1,200	\$2,250
10 V.S.A. § 6603 - SWMR § 6-302(d)	Treatment, storage or disposal of more than 10CY's solid waste outside of a certified facility	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6603 - SWMR § 6-402	Disposal or transfer of non-implemented waste	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-601(a); 6-1202	Failure to maintain a copy of the certification and approved facility management plan on-site	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-604(b)	Burning prohibited materials at a solid waste facility	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-606(b)	Failure to comply with design standards for specific facilities	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-701	Failure to adequately control dust	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 6603 - SWMR § 6-701(f)	Failure to maintain adequate personnel on site	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-701(c)	Operating outside approved hours of operation	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 6603 - SWMR § 6-701(c)	Treatment, storage, or disposal of solid waste outside of approved areas	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-701(c)	Exceedance of annual tonnage limits	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 6603 - SWMR § 6-701(c)	Exceedance of on site storage limits	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-701(c)	Exceedance of daily tonnage limits	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-701(f)	Failure to control litter at a solid waste facility	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 6603 - SWMR § 6-701(f)	Failure to control vectors (bird, rodent or insect issue)	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-701(f)	Failure to prevent/control odors.	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-701(h)	Failure to maintain access control (gate unlocked after hrs or no gate)	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 6603 - SWMR § 6-702(d)	Inadequate daily cover	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-703	Failure to submit quarterly or annual reports	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 6603 - SWMR § 6-703	Failure to submit required gas, water quality, engineering inspection, or other required reports.	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 6603 - SWMR § 6-703 (b)	Failure to notify Agency within 5 days of any non-compliance	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-802	Improper handling or disposal of asbestos	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-802(b)	Disposal of regulated medical wastes which does not comply with SWMR	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6603 - SWMR § 6-901	Failure to maintain required financial assurance	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6605	Operating a solid waste facility following expiration of certification	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 6605(a)	Substantial alteration of a solid waste facility without first obtaining modification of a certification.	\$750	\$3,000	\$900	\$1,800	\$2,700

WMD - Solid Waste

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
10 V.S.A. § 6605(a)	Construction or operation of a solid waste facility without a certification	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 6605(b)(5)	Failure to maintain a closed landfill properly	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 6605(b)(5)	Failure to comply with a post-closure certification	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6605(b)(5)	Failure to obtain a post-closure certification	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 6605(d)	Failure to maintain or operate the leachate collection system properly	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6605(i)	Failure to file post-closure monitoring data (effective 7/1/11)	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 6621a(a)	Failure to prevent disposal of prohibited wastes - landfill banned items (tires, paint, mercury-added, white goods e-waste, etc) under 10 VSA 6621a(a) , source-separated recyclables	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 7107(b)	Failure to post mercury prohibition signage at a solid waste facility	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 7553	Failure of a manufacturer of a covered electronic device to register, pay fee, or label device sold or delivered for sale	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 7553	Failure of a manufacturer to submit required e-waste reports	\$150	\$1,000	\$300	\$1,200	\$1,800
10 V.S.A. § 7556	Retail sale of covered electronic devices from an unregistered manufacturer	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 7556	Retail sale of covered electronic devices without required signage	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 7557	Failure of an e-waste recycler to register	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 7557	Failure of an e-waste recycler to submit required e-waste reports	\$150	\$1,000	\$300	\$1,200	\$1,800
10 V.S.A. § 7558	Failure of an e-waste transporter to register	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 7558	Failure of an e-waste collector to register	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 7558	Failure of a collector or transporter to submit required e-waste reports	\$150	\$1,000	\$300	\$1,200	\$1,800

WMD - UST

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
<i>10 V.S.A. Chapter 59 - Underground Liquid Storage Tanks - Underground Storage Tank Rules (USTR)</i>						
10 V.S.A. § 1921 & 6603 - USTR § 8-103	Failure to investigate, report, or respond to a release of a regulated substance	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1921 & 6603 - USTR § 8-103(a)	Failure to notify of unusual operation condition	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1921 & 6603 - USTR § 8-302(c)	Failure to notify of change of ownership	\$150	\$1,000	\$300	\$750	\$900
10 V.S.A. § 1921 & 6603 - USTR § 8-304	Operation of a category one tank without a permit	\$150	\$1,000	\$300	\$750	\$900
10 V.S.A. § 1921 & 6603 - USTR § 8-304(a)	Non-payment of permit fee	\$150	\$1,000	\$300	\$750	\$900
10 V.S.A. § 1921 & 6603 - USTR § 8-305(b)	Non-payment of assessment	\$150	\$1,000	\$300	\$750	\$900
10 V.S.A. § 1921 & 6603 - USTR § 8-405 (e)	Shear valves missing	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1921 & 6603 - USTR § 8-405(e)	Shear valves not braced	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1921 & 6603 - USTR § 8-406	Hole or crack in spill bucket	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 1921 & 6603 - USTR § 8-406(b)	No overfill device	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1921 & 6603 - USTR § 8-502(e); 8-504(c)	No cathodic protection test records	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 1921 & 6603 - USTR § 8-502(e); 8-505(h)	No tank leak detection records	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1921 & 6603 - USTR § 8-502(e); 8-507	No piping leak detection records	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1921 & 6603 - USTR § 8-503	Incompatible overfill	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1921 & 6603 - USTR § 8-503(a)	No Site diagram	\$150	\$1,000	\$300	\$750	\$900
10 V.S.A. § 1921 & 6603 - USTR § 8-503(c)	Spill buckets not empty	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 1921 & 6603 - USTR § 8-503	Failure to mark or label fill pipes	\$150	\$1,000	\$300	\$750	\$900
10 V.S.A. § 1921 & 6603 - USTR § 8-504	Failure to notify of failed cathodic protection test	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1921 & 6603 - USTR § 8-506(b)	No inventory records	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1921 & 6603 - USTR § 8-506(c)	Not conducting manual IM	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 1921 & 6603 - USTR § 8-506(c)	Not conducting electronic IM	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 1921 & 6603 - USTR § 8-507	Failure to notify of failed piping leak test	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1921 & 6603 - USTR § 8-509	No self-certification filed	\$150	\$1,000	\$300	\$750	\$900
10 V.S.A. § 1921 & 6603 - USTR § 8-509	Late self-certification	\$150	\$1,000	\$300	\$750	\$900
10 V.S.A. § 1921 & 6603 - USTR § 8-602	Failure to notify of change of tank status (active to OOS and vice versa)	\$150	\$1,000	\$300	\$750	\$900

WQD - Wetland

VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
Alteration of a wetland without a permit - no restoration possible	\$750	\$3,000	\$900	\$1,800	\$2,700
Alteration of a wetland without a permit, that can be fully restored in more than 90 days	\$600	\$2,500	\$750	\$1,500	\$2,250
Alteration of a wetland without a permit, that can be fully restored in under 90 days	\$450	\$2,000	\$600	\$1,200	\$1,800
Alteration of a wetland without a permit, no restoration required	\$150	\$1,000	\$300	\$600	\$900
Permanent alteration of wetland buffer zone without a permit	\$600	\$2,500	\$750	\$1,500	\$2,250
Alteration of a wetland buffer zone without a permit, that can be fully restored in more than 90 days	\$450	\$2,000	\$600	\$1,200	\$1,800
Alteration of a wetland buffer zone without a permit, that can be fully restored in under 90 days	\$300	\$1,500	\$450	\$900	\$1,350
Alteration of a wetland buffer zone without a permit, no restoration required	\$75	\$500	\$150	\$300	\$450
Failure to comply with a permit condition - Work outside of permitted limit of disturbance in a wetland	\$750	\$3,000	\$900	\$1,500	\$1,800
Failure to comply with a permit condition - Lack of effective erosion control measures in a wetland	\$300	\$1,500	\$450	\$900	\$1,350
Failure to comply with a permit condition - Lawn encroachment into a wetland	\$300	\$1,500	\$450	\$900	\$1,350
Failure to comply with a permit condition - Lack of effective erosion control measures in a buffer zone	\$150	\$1,000	\$300	\$600	\$900
Failure to comply with a permit condition - Lawn encroachment into a buffer zone	\$150	\$1,000	\$300	\$600	\$900
Failure to comply with Allowed Use BMPs	\$75	\$500	\$150	\$300	\$450
Failure to record permit with town	\$75	\$500	\$150	\$300	\$450
Failure to comply with a permit condition	\$75	\$500	\$150	\$300	\$450

WQD - Encroachment

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
<i>29 V.S.A. Chapter 11 - Management of Lakes and Ponds</i>						
29 V.S.A. § 403	Encroachment prohibited	\$750	\$3,000	\$900	\$1,800	\$2,700
29 V.S.A. § 408 - Permit # Condition #	Violation of a construction related permit condition	\$300	\$1,500	\$450	\$900	\$1,350
29 V.S.A. § 408 - Permit # Condition #	Violation of an operations and/or maintenance related permit condition	\$75	\$500	\$150	\$300	\$450

WQD - Stormwater MSGP

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
3 V.S.A. § 2822(j)(2)(B)	Failure to pay annual operating fee	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. Chapter 47 - Water Pollution Control - Multi-Sector General Permit (MSGP 3-9003)						
10 V.S.A. § 1264 - MSGP 3-9003 § 1.6.1	Failure to submit Stormwater Pollution Prevention Plan (SWPPP)	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - MSGP 3-9003 § 1.8	Failure to submit No Exposure Conditional Exclusion (NOX)	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - MSGP 3-9003 § 1.8.2.2	Using, storing or cleaning industrial machinery or equipment, and areas where residuals from using, storing or cleaning industrial machinery or equipment remain and are exposed to stormwater (NOX)	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - MSGP 3-9003 § 1.8.2.2	Materials or residuals on the ground exposed to precipitation or in stormwater inlets from spills/leaks (NOX)	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - MSGP 3-9003 § 1.8.2.2	Materials or products from past industrial activity exposed to precipitation (NOX)	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - MSGP 3-9003 § 1.8.2.2	Material handling equipment exposed to precipitation (NOX)	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - MSGP 3-9003 § 1.8.2.2	Materials or products during loading/unloading or transporting activities exposed to precipitation (NOX)	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - MSGP 3-9003 § 1.8.2.2	Materials or products stored outdoors exposed to precipitation (NOX)	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - MSGP 3-9003 § 1.8.2.2	Materials contained in open, deteriorated or leaking storage drums, barrels, tanks, and similar containers exposed to precipitation (NOX)	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - MSGP 3-9003 § 1.8.2.2	Materials or products handled/stored on roads or railways owned or maintained by the discharger exposed to precipitation (NOX)	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - MSGP 3-9003 § 1.8.2.2	Waste material exposed to precipitation (NOX)	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - MSGP 3-9003 § 1.8.2.2	Application or disposal of process wastewater exposed to precipitation (NOX)	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - MSGP 3-9003 § 1.8.2.2	Particulate matter or visible deposits of residuals from roof stacks/vents not otherwise regulated and evident in the stormwater outflow (NOX)	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - MSGP 3-9003 § 2	Failure to Implement SWPPP onsite	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - MSGP 3-9003 § 2.1.4.4	Failure to eliminate unauthorized discharges (SWPPP)	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - MSGP 3-9003 § 2.1.5.1	Failure to comply with SWPPP - Good Housekeeping	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - MSGP 3-9003 § 2.1.5.10	Failure to comply with SWPPP - Salt Storage Pile management	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - MSGP 3-9003 § 2.1.5.11	Failure to comply with SWPPP - Sector Specific BMPs	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - MSGP 3-9003 § 2.1.5.2	Failure to comply with SWPPP - Eliminating and Minimizing Exposure	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - MSGP 3-9003 § 2.1.5.3	Failure to comply with SWPPP - Preventative Maintenance	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - MSGP 3-9003 § 2.1.5.4	Failure to comply with SWPPP - Vehicle or Equipment Washing	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - MSGP 3-9003 § 2.1.5.5	Failure to comply with SWPPP - Spill Prevention and Response Procedures	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - MSGP 3-9003 § 2.1.5.6	Failure to comply with SWPPP - Routine Facility Inspections	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - MSGP 3-9003 § 2.1.5.7	Failure to comply with SWPPP - Employee Training	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - MSGP 3-9003 § 2.1.5.8	Failure to comply with SWPPP - Erosion and Sedimentation Controls	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - MSGP 3-9003 § 2.1.5.9	Failure to comply with SWPPP - Management of Runoff	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - MSGP 3-9003 § 2.1.6.1	Failure to document Endangered Species determination (SWPPP)	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 1264 - MSGP 3-9003 § 2.3	Failure to maintain an updated SWPPP	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 1264 - MSGP 3-9003 § 3.1.1	Failure to complete an Annual Compliance Evaluation (SWPPP)	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 1264 - MSGP 3-9003 § 3.2.1	Failure to complete quarterly visual monitoring (SWPPP)	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 1264 - MSGP 3-9003 § 3.2.2	Failure to complete quarterly benchmark monitoring (SWPPP)	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 1264 - MSGP 3-9003 § 3.2.2.2	Failure to submit Discharge Monitoring Report (DMR)	\$150	\$1,000	\$300	\$1,200	\$1,800
10 V.S.A. § 1264 - MSGP 3-9003 § 3.2.3	Failure to complete effluent limitation monitoring (SWPPP)	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 1264 - MSGP 3-9003 § 3.2.4/3.2.6	Failure to complete area-specific monitoring (SWPPP)	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 1264 - MSGP 3-9003 § 3.3	Failure to take corrective actions after discovery of any deficiency (SWPPP)	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - MSGP 3-9003 § 3.3	Failure to document corrective actions (SWPPP)	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - MSGP 3-9003 § 3.4	Failure to conduct follow-up monitoring (SWPPP)	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - MSGP 3-9003 § 3.5.1	Failure to report any unauthorized release or discharge (SWPPP)	\$150	\$1,000	\$300	\$1,500	\$1,800

WQD - Stormwater Construction

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
<i>10 V.S.A. Chapter 47 - Water Pollution Control - General Permit (GP 3-9020)</i>						
10 V.S.A. § 1264 - GP 3-9020 § 1.3	Failure to install or implement the Required Elements of the LRSH	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9020 § 1.3	Failure to properly install, or incomplete installation of a Required Element of the LRSH major component	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - GP 3-9020 § 1.3	Failure to properly install, or incomplete installation of a Required Element of the LRSH minor component	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - GP 3-9020 § 1.7	Failure to comply with requirements for permitting and risk scoring of phased projects	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - GP 3-9020 § 2.4	Failure to undertake construction in accordance with the permit application or Notice of Intent	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - GP 3-9020 § 2.4/3.4	Failure to obtain permit coverage prior to construction	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9020 § 2.6/3.6	Failure to record permit in land records	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 1264 - GP 3-9020 § 4.1	Failure to install or implement the approved Erosion Prevention Sediment Control plan	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9020 § 4.1	Failure to properly install or implement EPSC plan requirement major component	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - GP 3-9020 § 4.1	Failure to properly install or implement EPSC plan requirement minor component	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - GP 3-9020 § 4.2	Failure to follow permit requirements related to the On Site Plan Coordinator	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - GP 3-9020 § 4.3	Failure to provide notice of winter construction	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - GP 3-9020 § 4.4	Failure to fulfill record keeping requirements	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - GP 3-9020 § 4.5	Failure to maintain required plans on site	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - GP 3-9020 § 4.5	Failure to post notice of permit coverage	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 1264 - GP 3-9020 § 4.5	Failure to make plans available to ANR representatives upon request	\$450	\$2,000	\$600	\$1,000	\$1,200
10 V.S.A. § 1264 - GP 3-9020 § 6	Failure to comply with reporting requirements	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - GP 3-9020 § 6	Failure to comply with inspection or monitoring requirements	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - GP 3-9020 § 6	Failure to comply with requirements to notify DEC	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - GP 3-9020 § 6	Failure to take required corrective action	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - GP 3-9020 § 6.1/6.3	Failure to implement corrective actions identified by DEC to correct a discharge	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - GP 3-9020 § 7.1	Failure to transfer permit	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 1264 - GP 3-9020 § 7.2	Failure to comply with requirements related to adding and subtracting co-permittees	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 1264 - GP 3-9020 § 7.3/7.4	Failure to submit a notice of termination	\$300	\$1,500	\$450	\$900	\$1,350
10 V.S.A. § 1264 - GP 3-9020 § App. D.14	Disposal of Unauthorized Waste	\$750	\$3,000	\$900	\$1,800	\$2,700

WQD - Stormwater Post Construction

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
10 V.S.A. Chapter 47 - Water Pollution Control - General Permit (GP 3-9010)						
10 V.S.A. § 1264 - GP 3-9010 Part II.A.	Failure to obtain permit coverage prior to construction of impervious surface	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9010 Part V.A.	Failure to perform required maintenance	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9010 part V.A.	Failure to install stormwater treatment system	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9010 part V.A.	Failure to properly install stormwater treatment system major component	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9010 part V.A.	Failure to properly install stormwater treatment system minor component	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - GP 3-9010 Part V.B.	Disposal of un-authorized waste into stormwater system	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9010 Part V.C.	Failure to perform required inspection	\$300	\$1,500	\$450	\$750	\$900
10 V.S.A. § 1264 - GP 3-9010 Part V.C.	Failure to comply with reporting requirements	\$150	\$1,000	\$300	\$750	\$900
10 V.S.A. § 1264 - GP 3-9015 Part V.C.	Failure to comply with reporting requirements	\$150	\$1,000	\$300	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9010 Part VI.D.	Failure to transfer permit to new land owners	\$300	\$1,500	\$450	\$750	\$900
10 V.S.A. § 1264 - GP 3-9010 Part VI.G	Failure to pay annual operating fee	\$300	\$1,500	\$450	\$750	\$900
10 V.S.A. § 1264 - GP 3-9010 Part VI.M.	Failure to record permit in land records	\$300	\$1,500	\$450	\$750	\$900
10 V.S.A. Chapter 47 - Water Pollution Control - General Permit (GP 3-9015)						
10 V.S.A. § 1264 - GP 3-9015 Part II.A.	Failure to obtain permit coverage prior to construction of impervious surface	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9015 Part V.A.	Failure to perform required maintenance	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9015 part V.A.	Failure to install stormwater treatment system	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9015 part V.A.	Failure to properly install stormwater treatment system major component	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9015 part V.A.	Failure to properly install stormwater treatment system minor component	\$450	\$2,000	\$600	\$1,200	\$1,800
10 V.S.A. § 1264 - GP 3-9015 Part V.B.	Disposal of un-authorized waste into stormwater system	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9015 Part V.C.	Failure to perform required inspection	\$300	\$1,500	\$450	\$750	\$900
10 V.S.A. § 1264 - GP 3-9015 Part V.C.	Failure to comply with reporting requirements	\$300	\$1,500	\$450	\$750	\$900
10 V.S.A. § 1264 - GP 3-9015 Part V.D.	Falsification of Designer's Certification	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1264 - GP 3-9015 Part VI.D.	Failure to transfer permit to new land owners	\$300	\$1,500	\$450	\$750	\$900
10 V.S.A. § 1264 - GP 3-9015 Part VI.H.	Failure to pay annual operating fee	\$300	\$1,500	\$450	\$750	\$900
10 V.S.A. § 1264 - GP 3-9015 Part VI.N.	Failure to record permit in land records	\$300	\$1,500	\$450	\$750	\$900
10 V.S.A. Chapter 47 - Water Pollution Control - Individual Permit						
10 V.S.A. § 1263 - Individual permit # & Condition #	Failure to obtain permit coverage prior to construction of impervious surface	\$750	\$3,000	\$900	\$1,800	\$2,700
11 V.S.A. § 1263 - Individual permit # & Condition #	Failure to perform required maintenance	\$750	\$3,000	\$900	\$1,800	\$2,700
12 V.S.A. § 1263 - Individual permit # & Condition #	Failure to install stormwater treatment system	\$750	\$3,000	\$900	\$1,800	\$2,700
13 V.S.A. § 1263 - Individual permit # & Condition #	Failure to properly install stormwater treatment system major component	\$750	\$3,000	\$900	\$1,800	\$2,700
14 V.S.A. § 1263 - Individual permit # & Condition #	Failure to properly install stormwater treatment system minor component	\$450	\$2,000	\$600	\$1,200	\$1,800
15 V.S.A. § 1263 - Individual permit # & Condition #	Disposal of un-authorized waste into stormwater system	\$750	\$3,000	\$900	\$1,800	\$2,700
16 V.S.A. § 1263 - Individual permit # & Condition #	Failure to perform required inspection	\$300	\$1,500	\$450	\$750	\$900
17 V.S.A. § 1263 - Individual permit # & Condition #	Failure to record permit in land records	\$300	\$1,500	\$450	\$750	\$900
18 V.S.A. § 1263 - Individual permit # & Condition #	Failure to transfer permit to new land owners	\$300	\$1,500	\$450	\$750	\$900
19 V.S.A. § 1263 - Individual permit # & Condition #	Failure to pay annual operating fee	\$300	\$1,500	\$450	\$750	\$900
10 V.S.A. § 1264 - Individual permit # & Condition #	Failure to comply with reporting requirements	\$150	\$1,000	\$300	\$750	\$900
21 V.S.A. § 1263 - Individual permit # & Condition #	Falsification of Designer's Certification	\$750	\$3,000	\$900	\$1,800	\$2,700

WQD - River Corridors

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
10 V.S.A. § 1021(a)	Commencing work without a permit	\$450	\$3,000	\$900	\$1,500	\$1,800
10 V.S.A. § 1021(a)	Failure to comply with permit conditions	\$300	\$1,500	\$450	\$750	\$900
10 V.S.A. § 1021(b)	Measures exceed minimum necessary to alleviate the emergency	\$300	\$1,500	\$450	\$750	\$900
10 V.S.A. § 1021(b)	No prior approval from municipal legislative body	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 1021(b)	Failure to report to the Secretary within 72 hours	\$150	\$1,000	\$300	\$300	\$450
10 V.S.A. § 1021(d)	Removal of gravel from a watercourse for other than the owner's use on the owner's property	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 1021(d)	Removal of gravel from a watercourse below the waterline	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 1021(d)	Failure to provide 72 hour prior notification of 50 cubic yard or less gravel removal	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 1021(d)	Removal of more than 10 cubic yards of gravel from an Outstanding Resource Water	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 1021(h)	Operating a suction dredge in a watercourse	\$150	\$1,000	\$300	\$500	\$600
10 V.S.A. § 1021(h)	Failure to obtain approval to operate a sluice box	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 1021(h)	Failure to obtain landowner permission on private land	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 1021(h)	Failure to comply with mineral prospecting approval conditions	\$300	\$1,500	\$450	\$750	\$900
10 V.S.A. §1022	Failure to apply for a permit	\$750	\$3,000	\$900	\$1,500	\$1,800
10 V.S.A. §1022	Failure to file copy of permit application with town clerk and/or adjoiners	\$75	\$500	\$150	\$300	\$450
10 V.S.A. §1022	Failure to comply with non-reporting criteria	\$750	\$3,000	\$900	\$1,500	\$1,800
10 V.S.A. §1022	Failure to provide appropriate notification to the agency	\$750	\$3,000	\$900	\$1,500	\$1,800

WSD

CITATION	CODE	TYPE	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
EPR Chapter 24 - Groundwater Withdrawal Reporting and Permitting Rule - Subchapter 22-301	GW	Ground Water	Permit (Ground water withdrawal), Failure to have a permit for withdrawing Groundwater greater than 57,600 GPD	\$300	\$1,500	\$450	\$900	\$1,350
EPR Chapter 24 - Groundwater Withdrawal Reporting and Permitting Rule - Subchapter 4 (Under development)	GW	Ground Water	Not reporting a groundwater withdrawal of greater than 20,000 gpd	\$150	\$1,000	\$300	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6	03	MON	Monitoring Major, Failure to conduct all routine water quality monitoring	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6	03	MON	Monitoring Minor, Conducts some but not all water quality monitoring	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6	04	MON	Monitoring Major, Failure to collect all check, repeat and/or confirmation sample(s)	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6	04	MON	Monitoring Minor, Conducts some but not all check, repeat and/or confirmation sample(s)	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6	23	MON	Monitoring Major (TCR), Failure to collect all required routine samples at sites approved in the sampling plan monitoring	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6	24	MON	Monitoring Minor (TCR), Collects some but not all of routine samples at sites approved in the sampling plan	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6	25	MON	Monitoring Repeat Major (TCR), Failure to collect all repeat samples	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6	26	MON	Monitoring Repeat Minor (TCR), Collects some but not all of the required repeat samples	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6	27	MON	Monitoring Routine (Stage 1 D/DBPR) Failure to comply with monitoring and reporting requirements, and/or monitor according to sampling plan	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.4	27	MON	Monitoring (Stage 1 D/DBPR), Failure to have sampling plan	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-7.9	29	MON	Monitoring (IESWTR/LT1 SWTR) Failure to conduct required Comprehensive Performance Evaluation and/or failure to produce filter assessment	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.4	30	MON	Monitoring, (Stage 2 D/DBPR), Failure to conduct standard monitoring and/or failure to conduct ongoing annual or quarterly monitoring	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.6.4	31	MON	Monitoring/Reporting, (GWR), Failure to monitor or report residual disinfectant concentration required per the GWR	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6.2	31	MON	Monitoring/Reporting (SWTR-unfiltered systems)- unfiltered systems fail to monitor and report parameters/information required per the SWTR	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.3	32	MON	Monitoring Source, (LT2), Failure to collect any source water samples and report results	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.6.4	34	MON	Monitoring, Source (GWR), Failure to conduct all required triggered source water monitoring and other monitoring per the Ground Water Rule	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.2	36	MON	Monitoring (SWTR), Filtered systems fail to collect and/or report turbidity, entry point disinfectant residual and distribution system disinfectant concentrations	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.3	38	MON	Monitoring Major (IESWTR/LT1), Failure to collect and/or report all required combined filter effluent and all individual filter turbidity within 10 days after the end of the month and/or failure to report that the system exceeded 1 NTU or maximum Turbidity level set by the State	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.3	38	MON	Monitoring Minor (IESWTR/LT1), Collects some and/or reports some but not all of the required combined filter effluent and all individual filter turbidity within 10 days after the end of the month	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6.5	51	MON	Monitoring (LCR), Failure to conduct initial tap sampling	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.5	52	MON	Monitoring (LCR), Failure to collect adequate number of samples, and/or provide all monitoring information	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.5	52	MON	Monitoring (LCR), Failure to provide notification to State of change in treatment or addition of new source					
EPR Chapter 21 WSR - Subchapter 21-6.5	53	MON	Monitoring (LCR), Failure to collect and/or report all water quality parameters, and/or failure to meet state approved sampling plan	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.5	56	MON	Monitoring (LCR), Failure to collect required number of source samples and/or report results	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.2	WG	MON	Monitoring (Ground Water Under the Direct Influence), Failure to make GWUDI determination and/or complete required monitoring	\$300	\$1,500	\$450	\$900	\$1,350
EPR Chapter 21 WSR - Subchapter 21-12	WO	Operator	Operational, Failure to have a certified Class 2,3,4, or D Operator	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-12	WO	Operator	Operational, Failure to have a certified Class 1B Operator	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6.6.4	5	Other	Notification (GWR), Failure to notify the State: of any time system fails to meet any State-specific requirements; and/or notify the state within 30 days of completing a corrective action; and/or failure to provide documentation that system met State criteria for exception to the triggered source water monitoring requirements	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-10.1.2	WP	Permit	Public Notification (Temporary Operating Permit), Failure to provide notice of temporary operating permit significant deficiencies to all customers	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-5.4	WT	Permit	Permit, (Temporary Operating Permit) Failure to comply with Temporary Operating Permit	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-4	WU	Permit	Permit (Source/Construction Permit), Failure to obtain required permit before connecting and operating a source for Transient Non-Community water system	\$300	\$1,500	\$450	\$900	\$1,350
EPR Chapter 21 WSR - Subchapter 21-4	WU	Permit	Permit (Source or Source/Construction Permit), Failure to obtain required permit before connecting and operating a source for Community Water System, Non-Transient Non-Community Water System, and/or Domestic Bottled Water (in-state bottled water facility)	\$750	\$3,000	\$900	\$1,800	\$2,700
EPR Chapter 21 WSR - Subchapter 21-4	WS	Permit	Permit (Construction Permit), Failure to obtain required construction permit for Community Water System, Non-Transient Non-Community Water System, and/or Domestic Bottled Water (in-state bottled water facility)	\$750	\$3,000	\$900	\$1,800	\$2,700
EPR Chapter 21 WSR - Subchapter 21-4	WS	Permit	Permit (Construction Permit), Failure to obtain required construction permit for Transient Non-Community water system	\$300	\$1,500	\$450	\$900	\$1,350

WSD

CITATION	CODE	TYPE	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
EPR Chapter 21 WSR - Subchapter 21-4	WS	Permit	Permit (Construction), Failure to submit as-built drawings	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-5	WS	Permit	Permit (Operating) Failure to obtain Operating Permit for Community Water System, Non-Transient Non-Community Water System, and/or Domestic Bottled Water (in-state bottled water facility)	\$750	\$3,000	\$900	\$1,800	\$2,700
EPR Chapter 21 WSR - Subchapter 21-5	WS	Permit	Permit (Operating) Failure to obtain Operating Permit for Transient Non-Community Water System	\$300	\$1,500	\$450	\$900	\$1,350
EPR Chapter 21 WSR - Subchapter 21-10	75	PN	Public Notification (Tier 1 for all rules), Failure to provide notice to all customers within 24 hours for acute violations, and/or boil or do not drink notices	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-10	75	PN	Public Notification (Tier 2 all rules), Failure to provide notice to all customers within 30 days for non-acute violations	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-10	75	PN	Public Notification (Tier 3 all rules), Failure to provide notice to all customers within 1 year for monitoring violations	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-10	76	PN	Public Notification (for all rules), Failure to provide timely, complete and accurate public notice to all customers and/or failure to deliver a copy of the public notice with certification to the State	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6.4	30	RPT	Reporting (Stage 2 D/DBPR), Failure to have a monitoring plan and/or failure to submit a complete initial distribution system evaluation	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6.3	32	RPT	Reporting (LT2), Failure to submit a complete source water monitoring plan	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6.3	33	RPT	Reporting (LT2), Failure to submit initial bin classification for approval	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6.4	35	RPT	Reporting (Stage 2 D/DBPR), Failure to submit IDSE report	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6.4	35	RPT	Reporting (Stage 2 D/DBPR), Failure to conduct an operational evaluation and submit operational evaluation report	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6.5	57	RPT	Reporting (LCR), Failure to submit optimal corrosion control treatment and/or source water treatment recommendation	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6.5	65	RPT	Reporting/Public Notification (LCR) Failure to issue required lead public education to all customers	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.5	66	RPT	Reporting (LCR), Failure to provide notice of lead results to individual served by taps used for LCR monitoring	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-10.5	71	RPT	Reporting CCR, Failure to produce and deliver any annual Consumer Confidence Report	\$150	\$1,000	\$300	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-10.5	72	RPT	Reporting CCR, Failure to deliver a complete and accurate Consumer Confidence Report to all customers and/or failure to deliver a copy of the CCR with certification to the State	\$150	\$1,000	\$300	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-6	WS	RPT	Reporting (TCR and LCR), Failure to have a monitoring plan for TCR and LCR	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-7.1	WS	RPT	Reporting, Failure to submit Operations and Maintenance Manual	\$75	\$500	\$150	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-9	WS	RPT	Failure to submit Monthly Operations Report	\$150	\$1,000	\$300	\$300	\$450
EPR Chapter 21 WSR - Subchapter 21-7.5	28	SS	Failure to obtain Sanitary Survey and/or allow state to conduct survey	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.3	41	TT	Treatment (LT2 Unfiltered Systems), Failure to maintain Cryptosporidium inactivation and/or take action to address increased contamination due to watershed changes	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.6.4	42	TT	Treatment (GWR), Failure to take corrective action in response to a positive source water sample	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.3	42	TT	Treatment (LT2 Filtered and Unfiltered Systems), Failure to meet treatment requirements	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.6.4	45	TT	Treatment (GWR), System with deficiency fails to complete corrective action and/or be in compliance with a State approved corrective action plan and schedule	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-7.2	WS	TT	Treatment, Failure to have capability for continuous disinfection	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6	37	TT	Treatment (IESWTR/LT1), Failure to profile or consult with state before making a significant change to disinfection practice if required to develop a disinfection profile	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.11	40	TT	Treatment (Filter Backwash Rule), Failure to properly recycle	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.6.4	41	TT	Treatment (GWR), Failure to operate treatment with all compliance requirements, conduct applicable monitoring, and/or fails to maintain 4 log treatment of viruses and correct deficiency	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6	41	TT	Treatment (SWTR) Disinfection Concentration, Failure to meet the residual disinfectant concentration level for longer than the required period of time	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6	41	TT	Treatment (IESWTR/LT1), Failure to install and properly operate water treatment process which reliably achieve at least 99 percent (2-log) removal of Cryptosporidium	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6	41	TT	Treatment (SWTR), Failure to meet the filtered water turbidity standard for the specific treatment used	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6	42	TT	Treatment, (SWTR) Failure to install filtration for unfiltered system required to filter	\$300	\$1,500	\$450	\$900	\$1,350
EPR Chapter 21 WSR - Subchapter 21-6	43	TT	Treatment (IESWTR/LT1), A conventional or direct filtration system that exceeds 1 NTU in filtered water and/or alternative technology filtration that exceed the standard set by the State (not to exceed 5 NTU) in filtered water	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6	44	TT	Treatment (IESWTR/LT1), A filtered system that fails to meet the turbidity requirements in at least 95% of the measurement taken each month	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.4	46	TT	Treatment (Stage 1 D/DBPR) Failure to meet the Total Organic Carbon removal value	\$150	\$1,000	\$300	\$600	\$900

WSD

CITATION	CODE	TYPE	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
EPR Chapter 21 WSR - Subchapter 21-6.6.4	48	TT	Treatment (GWR), A system with a fecal indicator positive sample and after 120 days of receiving notice of the fecal indicator positive sample has failed to: 1)complete corrective action and/or 2) be in compliance with State approved corrective action plan	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.5	58	TT	Treatment (LCR) Failure to install corrosion control treatment and/or source water treatment	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.6	59	TT	Treatment (LCR), Failure to maintain optimal water quality parameter minimums or ranges	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 21 WSR - Subchapter 21-6.5	64	TT	Treatment (LCR) Failure to replace the required amount of lead service lines	\$150	\$1,000	\$300	\$600	\$900
EPR Chapter 15 - Well Driller Licensing, Subchapter 15-302	DR	Well	Well Drilling, Drilling a well without a well driller license	\$300	\$1,500	\$450	\$900	\$1,350
EPR Chapter 15 - Well Driller Licensing, Subchapter 15-701	DR	Well	Not submitting a Well Completion Report within 90 days of drilling	\$150	\$1,000	\$300	\$300	\$450
EPR Chapter 15 - Well Driller Licensing, Subchapter 15-704	DR	Well	Well Drilling, Failure to tag a complete well within 30 days	\$75	\$500	\$150	\$300	\$450

Key

CCR - Consumer Confidence Report

GPD - Gallons Per Day

GWR - Ground Water Rule

IESWTR/LT1 - Interim Enhanced Surface Water Treatment Rule/Long Term 1 Enhanced Surface Water Treatment Rule

LCR - Lead and Copper Rule

LT2 - Long Term 2 Enhanced Surface Water Treatment Rule

Stage 1 D/DBPR - Stage 1 Disinfectants & Disinfection Byproducts Rule

Stage 2 D/DBPR - Stage 2 Disinfectants & Disinfection Byproducts Rule

SWTR - Surface Water Treatment Rule

TCR - Total Coliform Rule

WWMD - Discharge Permits

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
<i>10 V.S.A. Chapter 47 - Water Pollution Control Regulations</i>						
10 V.S.A. § 1263 & Permit # & Condition #	Late reporting : sampling results/ monitoring results/ reports/certifications required by permit not submitted within 30 days of required date	\$75	\$500	\$150	\$300	\$450
10 V.S.A. § 1263 & Permit # & Condition #	Failure to conduct sampling/monitoring as required by permit	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 1263 & Permit # & Condition #	Failure to inspect facility or facility component as required by permit	\$600	\$2,500	\$750	\$1,500	\$2,250
10 V.S.A. § 1263 & Permit # & Condition #	Failure to comply with other permit condition not listed above	\$75	\$500	\$150	\$300	\$450

WWMD - WW Permits

CITATION	VIOLATION	MINIMUM	MAXIMUM	WAIVER (1st Violation)	WAIVER (2nd Violation)	WAIVER (3rd Violation)
<i>10 V.S.A. Chapter 64 - Potable Water & Wastewater Sys. Permit</i>						
10 V.S.A. § 1973(a) 1-8	Failure to obtain the required permit	\$750	\$3,000	\$900	\$1,800	\$2,700
10 V.S.A. § 1973(e)	Failure to submit installation certification	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 1973 - Permit # & Condition #	Violation of an operations and/or maintenance related permit condition	\$150	\$1,000	\$300	\$600	\$900
10 V.S.A. § 1973 - Permit # & Condition #	Failure to comply with a permit condition not listed above	\$75	\$500	\$150	\$300	\$450