



**I-5 Indicate Method Chosen for Demonstrating Compliance with Aquatic Permitting Criteria (check one):**

- Dilution Method \_\_\_\_\_ (Complete Section I-6)  
 Treatment Index Method \_\_\_\_\_ (Complete Section I-7)  
 Modified Site Specific Method \_\_\_\_\_ (Complete Section I-8)  
 Site Specific Method \_\_\_\_\_ (Complete Section I-9)

**I-6 Dilution Method Summary**

(a) System Proposed Disposal Capacity: \_\_\_\_\_ g.p.d. (From I-4 above)

(b) Low Median Monthly Flow  
 for Receiving Waters \_\_\_\_\_ g.p.d. (From I-4 above)

Dilution Ratio (b)/(a) = \_\_\_\_\_ (must be 120 or greater)

**I-7 Treatment Index Method Summary (application must provide supporting documentation and calculations)**

- Vertical Component \_\_\_\_\_ points  
 Loading Rate Component \_\_\_\_\_ points  
 Horizontal Component \_\_\_\_\_ points  
 Dilution Component \_\_\_\_\_ points

**TOTAL** \_\_\_\_\_ points (must be 150 or greater)

**I-8 Modified Site Specific Compliance Method Summary (application must contain supporting documentation and calculations). Complete shaded areas.**

PARAMETER	DEFAULT 5% EXCEEDENCE DISCHARGE CONC. (mg/L)	95% CV UPSTREAM CONC. (mg/L)	CALCULATED DOWNSTREAM CONC. (mg/L)	INDIRECT DISCHARGE RULES LIMIT (mg/L)
TDP	0.14			(a)
NO <sub>3</sub> -N	60			2.0 (b)

(a) This concentration is 0.001 mg/l above the 95% CV Upstream Concentration for locations above a Waste Management Zone [see the Indirect Discharge Rules §14-701(b)].

(b) For discharges to, or below, a Waste Management Zone, see the Indirect Discharge Rules §14-701(b)(5).

<p><b>OFFICE USE ONLY</b></p> <p>Applicant Name: _____</p> <p>Application _____</p> <p>Number: _____</p>
--

**I-9 Site Specific Compliance Method Summary (application must contain supporting documentation and calculations). Complete shaded areas.**

PARAMETER	5% EXCEEDENCE DISCHARGE CONC. (mg/L)	95% CV UPSTREAM CONC. (mg/L)	CALCULATED DOWNSTREAM CONC. (mg/L)	INDIRECT DISCHARGE RULES LIMIT (mg/L)
TDP				(a)
NO <sub>3</sub> -N				2.0 (b)
(a) This concentration is 0.001 mg/l above the 95% CV Upstream Concentration for locations above a Waste Management Zone [see the Indirect Discharge Rules §14-701(b)].				
(b) For discharges to, or below, a Waste Management Zone, see the Indirect Discharge Rules §14-701(b)(5).				

**Parameter Abbreviations Definitions:**

**TDP      Total Dissolved Phosphorus**  
**NO<sub>3</sub>-N   Nitrate Nitrogen**

**APPLICATION SUBMITTAL**

**Submit this form along with a completed and signed Form WR-82, the correct application fee, and all reports, engineering plans and other specifications required by the Indirect Discharge Rules, to the address listed below:**

**Agency of Natural Resources  
Department of Environmental Conservation  
Wastewater Management Division  
103 South Main Street - Sewing Building  
Waterbury, Vermont 05671-0405**

(802) 241-3822

WR-82-I (revised 2/2004)